SECTION I.



PUNCH#2 "THE NATURAL SOLVENT" CLEANER

MANUFACTURER/DISTRIBUTOR: GREEN POWER, 151 Sparta-Stanhope Road, Hopatcong, NJ 07843

EMERGENCY TELEPHONE NUMBER: (973)-770-5600 or 800-932-9371 - UPDATED: 1/4/13

CHEMICAL NAME AND SYNONYMS: N/A PROPRIETARY BLEND TRADE NAME AND SYNONYMS: THE NATURAL SOLVENT CLEANER

CHEMICAL FAMILY: NON-PETROLEUM SOLVENT MIX

FORMULA: BLENDED PRODUCT FRIENDLY TO THE ENVIRONMENT

SECTION II. HAZARDOUS INGREDIENTS THE LIST BELOW ARE IRRITANTS / NON TOXIC


CAS# % TLV UNITS
D'LIMONENE 5989-27-5 PROP NOT EST.

SECTION III. PHYSICAL DATA

UN NUMBER: NOT REQUIRED

DANGEROUS GOODS CLASS: NONHAZARDOUS

 $\frac{\text{HAZARD RATING (NFPA/HMIS)}}{\text{HEALTH} = 1} \quad \text{REACTIVITY} = 0$ $\text{FIRE} = 2 \qquad \text{SPECIAL} = 0$



 $\begin{aligned} & & \underbrace{RATING\ SCALE} \\ 0 = & & MINIMAL & 1 = SLIGHT \\ 2 = & & MODERATE & 3 = SERIOUS \\ & & 4 = SEVERE \end{aligned}$

MILD EYE IRRITANT, NON MUTAGENIC AND NON CARCINOGENIC. NONE OF THE INGREDIENTS IN GREEN POWER ARE REGULATED OR LISTED AS POTENTIAL CANCER AGENTS BY FEDERAL OSHA, NTP, OR IARC

BOILING POINT(F.): 187 C (369 F) SPECIFIC GRAVITY: (H2O=1); 0.962 @ 20C 8.14 Lbs / gallon

FREEZING POINT (F): -33 C (-27 F) % VOLATILE BY WEIGHT: 10

VAPOR PRESSURE: 2 mm Hg EVAPORATION RATE: = (BUTYL ACETATE =1); 0.1

VAPOR DENSITY: (AIR =1); 4.5 SOLUBILITY IN WATER: 60%

APPEARANCE AND ODOR: CLEAR LIGHT YELLOW LIQUID WITH CITRUS AND AMINE ODOR

.....

SECTION IV. FIRE AND EXPLOSION DATA

......

FLASH POINT: 125° F

EXTINGUISHING MEDIA: dry chemical, foam, or CO2

SPECIAL FIRE FIGHTING PROCEDURES: Wear Self – Contained Breathing Apparatus and Protective Clothing

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not Known

FLAMMABLE LIMITS: Not determined

SECTION V. HEALTH HAZARD DATA

INDIVIDUAL INGREDIENTS NOT CONSIDERED CARCINOGENIC BY NTP, OSHA, OR IARC

EYE IRRITANT. AVOID DIRECT CONTACT

INHALATION: IRRITATION MAY RESULT FROM LONG EXPOSURES TO HIGH VAPOR CONCENTRATIONS.

SKIN IRRITATION MAY OCCUR IN SOME INDIVIDUALS AFTER PROLONGED EXPOSURE

EMERGENCY & FIRST AID PROCEDURES:

FOR EYES: Flush with water for at least 15 minutes. Get medical aid.

SKIN CONTACT: Remove contaminated clothing. Wash affected areas with plenty of soap and water.

IF INGESTED: Give water to dilute substance. Contact a physician immediately.

INHALATION: Seek fresh air immediately. If breathing is difficult, consult physician.

SECTION VI. REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY: Strong Oxidizing Agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Nitrogen and Carbon may form during burning.

HAZARDOUS POLYMERIZATION: Will not occur

CORROSIVE TO METAL: No OXIDIZER: No

SECTION VII. SPILL OR LEAK PROCEDURE

Small spills may be wiped up with absorbent towels. Larger spills should be contained, absorbed and placed in suitable

containers for disposal. Incinerate or landfill waste in a properly permitted facility complying with federal, state, and local regulations.

SECTION V111. SPECIAL PROTECTION INFORMATION

DECRIDATORY PROTECTION N. 4 ' . 1

RESPIRATORY PROTECTION: Not required

VENTILATION: General exhaust in confined areas. Area ventilation is recommended.

PROTECTIVE CLOTHING: Impervious Gloves (Nitrile or Similar type).

EYE PROTECTION: Avoid direct contact with eyes. Safety glasses with splash side shields or goggles.

OTHER PROTECTIVE EQUIPMENT: Not Required

SECTION IX. SPECIAL PRECAUTIONS

CALIFORNIA: VOC Content (d-Limonene) = 38.0% Wt., other ingredients low vapor pressures preclude inclusion as VOC significant sources.

ALL INGREDIENTS LISTED ON TSCA INVENTORY

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE BETWEEN 40 AND 120 DEGREES F. OTHER PRECAUTIONS: FOR SALE TO AND USE BY SERVICE PERSONNEL ONLY. KEEP OUT OF REACH OF CHILDREN. THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE REUSE.

TO ORDER CALL: 800-932-9371 or FAX 973-770-1158

Distributors of Major Label Aqueous Parts washing Systems, Coolants, Metal Pre-treats & Ultrasonics