Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

* 1 Identification

· ***Product Identifier***

· ***Trade name: The Natural Adhesive Remover M-9005***
· ***Relevant identified uses of the substance or mixture and uses advised against:***
· ***Product Description*** Removes and dissolves paints, inks, epoxies, alkyds, enamels, and many more
· ***Application of the substance / the mixture:*** Industry specific application.

· ***Details of the Supplier of the Safety Data Sheet:***
· ***Manufacturer/Supplier:***
Green Power Chemical
151 Sparta-Stanhope Rd
Hopatcong NJ 07843 U.S.,

Canada and Mexico: (800) 932-9371 | International: 973 770-5600
Fax: 973-770-1158

· ***Emergency telephone number:***
Within USA and Canada: 1-800-424-9300 (CHEMTREC, 24 hours)
Outside USA and Canada: +1-703-527-3887 (CHEMTREC, 24 hours)

* 2 Hazard(s) Identification

· ***Classification of the substance or mixture:***

GHS08 Health hazard

Repr. 1	H360	May damage fertility or the unborn child.

GHS09 Environment

Aquatic Acute 1	H400	Very toxic to aquatic life.
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H335	May cause respiratory irritation.

· ***Label elements:***
· ***GHS label elements***
The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms:***

GHS07 GHS08 GHS09

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

Trade name: The Natural Adhesive Remover M-9005

· ***Signal word:*** Danger

· ***Hazard-determining components of labeling:***
1,2-dimethoxyethane
d-limonene
N-methyl-2-pyrrolidone (NMP)

· ***Hazard statements:***
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H360 May damage fertility or the unborn child.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· ***Precautionary statements:***

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Unknown acute toxicity:***
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.

· ***Classification system:*** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· ***NFPA ratings (scale 0 - 4)***

Health = 2
Fire = 1
Reactivity = 0

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

Trade name: The Natural Adhesive Remover M-9005

· ***HMIS-ratings (scale 0 - 4)***

HEALTH 2	Health = 2
FIRE 1	Fire = 1
REACTIVITY 0	Physical Hazard = 0

· ***Hazard(s) not otherwise classified (HNOC):*** None known

* 3 Composition/Information on Ingredients

· ***Chemical characterization: Mixtures***
· ***Description:*** Mixture of substances listed below with non-hazardous additions.

· ***Dangerous Components:***

CAS: 872-50-4 RTECS: UY 5790000	N-methyl-2-pyrrolidone (NMP) Repr. 1B, H360; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	Proprietary%
CAS: 110-71-4 RTECS: KI 1451000	1,2-dimethoxyethane Flam. Liq. 2, H225; Repr. 1B, H360; Acute Tox. 4, H332	Proprietary%
CAS: 5989-27-5 RTECS: GW 6360000	d-limonene Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	Proprietary%

· ***Additional information:***
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

· ***Description of first aid measures:***
· ***After inhalation:***
Supply fresh air; consult doctor in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:***
Wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· ***After eye contact:***
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
If easy to do so, remove contact lenses if worn.
If eye irritation occurs, consult a doctor.
· ***After swallowing:***
Rinse out mouth and then drink plenty of water.
Do not induce vomiting.
If symptoms develop and/or persist, seek medical attention.
· ***Information for doctor:***
· ***Most important symptoms and effects, both acute and delayed:*** No further relevant information available.
· ***Indication of any immediate medical attention and special treatment needed:***
No further relevant information available.

* 5 Fire-Fighting Measures

· ***Extinguishing media:***
· ***Suitable extinguishing agents:*** Use fire fighting measures that suit the environment.
· ***Special hazards arising from the substance or mixture:*** No further relevant information available.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 Reviewed on 11/11/2019

Trade name: The Natural Adhesive Remover M-9005

· ***Advice for firefighters:***
· ***Protective equipment:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

* 6 Accidental Release Measures

· ***Personal precautions, protective equipment and emergency procedures:***
Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
· ***Environmental precautions:***
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/surface or ground water.
· ***Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
· ***Reference to other sections:***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· ***Protective Action Criteria for Chemicals***

· ***PAC-1:***		
872-50-4	N-methyl-2-pyrrolidone (NMP)	30 ppm
110-71-4	1,2-dimethoxyethane	13 ppm
5989-27-5	d-limonene	15 ppm

· ***PAC-2:***		
872-50-4	N-methyl-2-pyrrolidone (NMP)	32 ppm
110-71-4	1,2-dimethoxyethane	140 ppm
5989-27-5	d-limonene	67 ppm

· ***PAC-3:***		
872-50-4	N-methyl-2-pyrrolidone (NMP)	190 ppm
110-71-4	1,2-dimethoxyethane	840 ppm
5989-27-5	d-limonene	170 ppm

* 7 Handling and Storage

· ***Handling***
· ***Precautions for safe handling:***
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· ***Information about protection against explosions and fires:*** Keep protective respiratory device available.

· ***Conditions for safe storage, including any incompatibilities:***
Store away from strong acids, strong bases and strong oxidizing agents.
· ***Storage***
· ***Requirements to be met by storerooms and receptacles:*** Store in the original container.
· ***Information about storage in one common storage facility:*** Not required.
· ***Further information about storage conditions:*** Keep receptacle tightly sealed.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

Trade name: The Natural Adhesive Remover M-9005

· ***Specific end use(s):*** No further relevant information available.

*

8 Exposure Controls/Personal Protection

· ***Additional information about design of technical systems:*** No further data; see section 7.

· ***Control parameters:***
All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· ***Components with occupational exposure limits:***
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

872-50-4 N-methyl-2-pyrrolidone (NMP)	
WEEL	Long-term value: 10 ppm Skin
5989-27-5 d-limonene	
TWA	Short-term value: 10 mg/m³

· ***Ingredients with biological limit values:***	
872-50-4 N-methyl-2-pyrrolidone (NMP)	
BEI	100 mg/L urine end of shift, after three consecutive days 5-Hydroxy-N-methyl-2-pyrrolidone OSHA: biomarker for possible worker exposure

· ***Additional information:*** The lists that were valid during the creation of this SDS were used as basis.

· ***Exposure controls:***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
· ***Breathing equipment:*** Not required.
· ***Protection of hands:***

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Select glove material based on penetration times, rates of diffusion and degradation.

· ***Material of gloves:***
Chemical resistant
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 Reviewed on 11/11/2019

Trade name: The Natural Adhesive Remover M-9005

· ***Penetration time of glove material:***
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· ***Eye protection:***

Safety glasses

· ***Body protection:*** Not required.

· ***Limitation and supervision of exposure into the environment:***
Keep away from drains, surface and ground waters.
Avoid release into the environment.

* 9 Physical and Chemical Properties

· ***Information on basic physical and chemical properties***

· ***General Information***

· ***Appearance:***

Form:	Liquid
Color:	Clear
· ***Odor:***	Recognizable
· ***Odor threshold:***	Not determined.
· ***pH-value:***	Not applicable.
· ***Change in condition***	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
· ***Flash point:***	None
· ***Flammability (solid, gaseous):***	Not applicable.
· ***Ignition temperature:***	≥200 °C (≥392 °F)
· ***Decomposition temperature:***	Not determined.
· ***Auto igniting:***	Product is not self-igniting.
· ***Danger of explosion:***	Product does not present an explosion hazard.
· ***Explosion limits:***	
Lower:	0.0 Vol %
Upper:	0.0 Vol %
· ***Vapor pressure:***	Not determined.
· ***Density:***	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· ***Solubility in / Miscibility with:***	
Water:	Not miscible or difficult to mix.
· ***Partition coefficient (n-octanol/water):***	Not determined.
· ***Viscosity:***	
Dynamic:	Not determined.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 Reviewed on 11/11/2019

Trade name: The Natural Adhesive Remover M-9005

Kinematic: Not determined.

· ***Solvent content:***

Solids content: 0.0 %

· ***Other information:*** No further relevant information available.

* 10 Stability and Reactivity

· ***Reactivity:*** No further relevant information available.
· ***Chemical stability:*** Stable under normal conditions.
· ***Thermal decomposition / conditions to be avoided:*** No decomposition if used according to specifications.
· ***Possibility of hazardous reactions:*** No dangerous reactions known.
· ***Conditions to avoid:*** No further relevant information available.
· ***Incompatible materials:*** Strong acids, strong bases and strong oxidizing agents.

* 11 Toxicological Information

· ***Information on toxicological effects:*** The toxicity of this product is unknown.
· ***Acute toxicity:***

· ***LD/LC50 values that are relevant for classification:***		
872-50-4 N-methyl-2-pyrrolidone (NMP)		
Oral	LD50	3,914 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (Rabbit)
110-71-4 1,2-dimethoxyethane		
Oral	LD50	5,370 mg/kg (Rat)
5989-27-5 d-limonene		
Oral	LD50	4,400 mg/kg (Rat) Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages: Other: Hair
Dermal	LD50	>5,000 mg/kg (Rabbit)

· ***Primary irritant effect:***
· ***On the skin:***
Irritant to skin and mucous membranes.
May cause an allergic skin reaction.
· ***On the eye:*** Irritating effect.
· ***Sensitization:*** Sensitization possible through skin contact.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· ***Carcinogenic categories:***
· ***IARC (International Agency for Research on Cancer):***
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

5989-27-5	d-limonene	3

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 Reviewed on 11/11/2019

Trade name: The Natural Adhesive Remover M-9005

· ***NTP (National Toxicology Program):***
None of the ingredients are listed.

· ***OSHA-Ca (Occupational Safety & Health Administration):***
None of the ingredients are listed.

* 12 Ecological Information

· ***Toxicity:*** The hazards for the aquatic environment are unknown.
· ***Aquatic toxicity:***
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

872-50-4 N-methyl-2-pyrrolidone (NMP)	
EC50	1.23-1.5 mg/l (Water flea)
5989-27-5 d-limonene	
EC50	0.36 mg/l (Daphnia) (OECD Test Guideline 202)

· ***Persistence and degradability:*** No further relevant information available.
· ***Behavior in environmental systems:***
· ***Bioaccumulative potential:*** No further relevant information available.
· ***Mobility in soil:*** No further relevant information available.
· ***Ecotoxical effects:***
· ***Remark:*** Very toxic for fish
· ***Additional ecological information:***
· ***General notes:***
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
Poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms
· ***Results of PBT and vPvB assessment:***
· ***PBT:*** Not applicable.
· ***vPvB:*** Not applicable.
· ***Other adverse effects:*** No further relevant information available.

* 13 Disposal Considerations

· ***Waste treatment methods:***
· ***Recommendation:***
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.

· ***Uncleaned packagings***
· ***Recommendation:*** Dispose of as unused product.

* 14 Transport Information

· ***UN-Number:***
· ***DOT, ADR/ADN, ADN, IMDG, IATA*** Non-Regulated Material
· ***UN proper shipping name:***
· ***DOT, ADR/ADN, ADN, IMDG, IATA*** Non-Regulated Material
· ***Transport hazard class(es):***

· ***DOT, ADR/ADN, ADN, IMDG, IATA***
· ***Class:*** Non-Regulated Material

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 Reviewed on 11/11/2019

Trade name: The Natural Adhesive Remover M-9005

· ***Packing group:***	
· ***DOT, ADR/ADN, IMDG, IATA***	Non-Regulated Material
· ***Environmental hazards:***	Not applicable.
· ***Special precautions for user:***	Not applicable.
· ***Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:***	Not applicable.
· ***UN "Model Regulation":***	Non-Regulated Material

* 15 Regulatory Information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture:***

· ***SARA (Superfund Amendments and Reauthorization):***

· ***Section 355 (extremely hazardous substances):***

None of the ingredients are listed.

· ***Section 313 (Specific toxic chemical listings):***

872-50-4	N-methyl-2-pyrrolidone (NMP)
110-71-4	1,2-dimethoxyethane

· ***TSCA (Toxic Substances Control Act):***

All ingredients are listed or exempt from listing.

· ***California Proposition 65:***

· ***Chemicals known to cause cancer:***

None of the ingredients are listed.

· ***Chemicals known to cause reproductive toxicity for females:***

None of the ingredients are listed.

· ***Chemicals known to cause reproductive toxicity for males:***

None of the ingredients are listed.

· ***Chemicals known to cause developmental toxicity:***

872-50-4	N-methyl-2-pyrrolidone (NMP)

· ***New Jersey Right-to-Know List:***

872-50-4	N-methyl-2-pyrrolidone (NMP)
110-71-4	1,2-dimethoxyethane

· ***New Jersey Special Hazardous Substance List:***

872-50-4	N-methyl-2-pyrrolidone (NMP)	TE, F2
110-71-4	1,2-dimethoxyethane	F3

· ***Pennsylvania Right-to-Know List:***

872-50-4	N-methyl-2-pyrrolidone (NMP)
110-71-4	1,2-dimethoxyethane

· ***Pennsylvania Special Hazardous Substance List:***

None of the ingredients are listed.

· ***Carcinogenic categories:***

· ***EPA (Environmental Protection Agency):***

None of the ingredients are listed.

· ***TLV (Threshold Limit Value established by ACGIH):***

None of the ingredients are listed.

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

Trade name: The Natural Adhesive Remover M-9005

· ***NIOSH-Ca (National Institute for Occupational Safety and Health):***
None of the ingredients are listed.

· ***GHS label elements***
The product is classified and labeled according to the Globally Harmonized System (GHS).

· ***Hazard pictograms:***

GHS07 GHS08 GHS09

· ***Signal word:*** Danger

· ***Hazard-determining components of labeling:***
1,2-dimethoxyethane
d-limonene
N-methyl-2-pyrrolidone (NMP)

· ***Hazard statements:***
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H360 May damage fertility or the unborn child.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· ***Precautionary statements:***

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***National regulations:***
None of the ingredients are listed.

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/06/2017 *Reviewed on 11/11/2019*

Trade name: The Natural Adhesive Remover M-9005

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***Date of preparation / last revision:*** 09/06/2017 / 1

· ***Abbreviations and acronyms:***

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 1: Reproductive toxicity – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **** Data compared to the previous version altered.***

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106